




FORZA SVILUPPATA IN daN ALLA PRESSIONE D'ESERCIZIO
POWER DEVELOPED IN daN AT THE WORKING PRESSURE

Ø CIL	–	cm ²	4 BAR	6 BAR	8 BAR	10 BAR
8	spinta <i>push</i>	0,50	2,01	3,02	4,02	5,03
	trazione <i>traction</i>	0,38	1,51	2,26	3,02	3,77
10	spinta <i>push</i>	0,79	3,14	4,71	6,28	7,85
	trazione <i>traction</i>	0,66	2,64	3,96	5,28	6,60
12	spinta <i>push</i>	1,13	4,52	6,79	9,05	11,31
	trazione <i>traction</i>	0,85	3,39	5,09	6,79	8,48
16	spinta <i>push</i>	2,01	8,04	12,06	16,08	20,11
	trazione <i>traction</i>	1,73	6,91	10,37	13,82	17,28
20	spinta <i>push</i>	3,14	12,57	18,85	25,13	31,42
	trazione <i>traction</i>	2,64	10,56	15,83	21,11	26,39
25	spinta <i>push</i>	4,91	19,63	29,45	39,27	49,09
	trazione <i>traction</i>	4,12	16,49	24,74	32,99	41,23

N.B. I valori della tabella sono teorici; agli effetti pratici dovranno essere ridotti tenendo conto del peso e degli attriti di scorrimento dell'equipaggio mobile (-10%)

The given values are theoretical and in practice must take account of weight and friction of the moving element and may be reduced by (-10%)

MCI	CORSE STANDARD STANDARD STROKES																
Ø CIL	10	25	50	80	100	125	–	–	–	–	–	–	–	–	–	–	–
8	10	25	50	80	100	125	–	–	–	–	–	–	–	–	–	–	–
10	10	25	50	80	100	125	–	–	–	–	–	–	–	–	–	–	–
12	10	25	50	80	100	125	160	200	250	320	400	500	–	–	–	–	–
16	10	25	50	80	100	125	160	200	250	320	400	500	600	700	800	900	1000
20	10	25	50	80	100	125	160	200	250	320	400	500	600	700	800	900	1000
25	10	25	50	80	100	125	160	200	250	320	400	500	600	700	800	900	1000